

Typ R1
R3c
✓
✓
○ 0,50



Typ R2
R5a
✓
✓
○ 1,5



Typ R2
R5b
✓
✓
○ 5,50



Typ R2
R6c
✓
✓
○ 0,45



Typ R2
R6d
✓
✓
○ 2,50



Typ R6
R2e
✓
✓
○ 700,0



Typ R2
R15
✓
✓
○ —



Typ R2
R15c
✓
✓
○ 0,25



Typ R3
R16c
✓
✓
○ 5,0



Typ R3
R18b
✓
✓
○ 1250,0



Typ R3
R18c
✓
✓
○ 9,0





Typ R3
R37C
..
.
○ 1,00



Typ R3
R40C
..
.
○ 2,00



Typ R3
R41C
..
.
○ 80,0



Typ R3
R42C
..
.
○ 0,45



Typ R4
R55
..
.
○ 8,0



Typ R5
R55
..
.
○ 7,0



Typ R5
R64C
..
.
○ 9,0



Typ R5
R65C
..
.
○ 14,0



Typ R6
R68C
..
.
○ 0,75



Typ R7
R70C
..
.
○ 4,50



Typ R8
R81C
..
.
○ 4,0



Typ R8
R82C
..
.
○ 7,00



Typ R8
R84C
..
.
○ 22,50



Typ R12
R104
..
.
○ 2,75



Typ R12a
R109
..
.
○ 1,50



Typ R12a
R111
..
.
○ 8,0



Typ R12
R135
..
.
○ 0,40



Typ R13
R112
..
.
○ 1,50



Typ R13a
R115
..
.
○ 1,40



Typ R13a
R115a
.. Punch
cancel
○ 325,0



Typ R136
R118
..
.
○ 10,0



Typ R136
R120
..
.
○ 22,50



Typ R13C
R123
**
*
o 22,50



Typ R13
R140
**
*
o 40,0



Typ R136
R144
**
*
o 3,0



Typ R14
R152a
**
*
o 0,45



Typ R0127
R0127
**
*
o 27,50



Typ R16
R174
**
*
o 1,25



Nr. A87
R153
X X **



Nr. A87a
R153
X O X



Wz: |C| |S|

Nr. *R3*
* *R16c*

* ○ **



Nr. *R3*
R18c

* ○ **



Nr. *R3*
R23c

* ○ **



Nr. *R3*
R24c

* ○ **



Nr. *R3*
R24c

* ○ **



Nr. *R3*
R27c

* ○ **



Nr. *R3*
R32c

* ○ **



Nr. *R3*
R33c

* ○ **



Nr. *R3*
R34c

* ○ **



Nr. *R5*
R54c

* ○ **



Nr. *R8*
R84c

* ○ **



Nr. <i>R155</i>		
*	○	**



Nr. <i>A88a</i> <i>R155</i>		
X	○	X



Nr. R107		
*	○	**



Nr. R111		
*	○	**



Nr. R153		
*	○	**



Nr. R175		
*	○	**



Nr. RB16		
*	○	**



Typ	RB1
#	RB16
14,0	



Typ	RB1a
#	RB46
25,0	



Typ	R21
#	Perf. 11.
R280	
X 100,0	



Typ	R651
#	OXF1
30,0	



Typ R¹⁶
R184
**
/ 35,0



Typ R¹⁶
R185
**
/ 35,0



Typ R¹⁶
R185
**
/ 0,40

Typ P53
PS11
..
.
0,60



Typ P53
PS12
..
.
2,0



Typ P53
PS13
..
.
12,50



Typ P53
PS14
..
.
12,50



Typ W56
W58
..
.
1,10



Typ W56
W58
.. B14
.
5,0



Typ W56
W59
..
.
4,0



Typ R22
RH2
.. Perf. 10
Pair 2
150,0



Typ RH1
RH4
..
.
17,50



Typ RF23
RF23
..
.
.



Typ
R11-
.. R14
.
○



Typ
R15
..
.
○



Typ
R17
..
.
○



Typ
OX21
..
.
○

Typ
OX39
..
.
○



Typ
OX47
..
.
○

LABEL 21, JULY 1971



TYP RGS1
 # 0XFI
 / 7,5+5
 /
 ° 12,50



TYP RSS1
 # 0XFI
 / 7,5+7,5
 /
 ° 15,0





Typ POS
OX11a
✓
✓
• 1,25



Typ POS2
OX3
••
✓ 150,0



Typ POS3
OX6
••
• 0,75






6-10708

Leuchtturm

After 5 days, return to
R. J. WIDEN CO.,
1 Ashton Avenue,
NORTH ADAMS, MASS.



Mr. T. B. Gordon
Buxton Incorporated
Springfield, 1, Mass.





TYP REA
 # 126C
 *
 *
 ©



TYP REA181
 #
 **
 *
 © 140,0



Wz: |C| |S|
 Error: RB3
 # RB3
 RB23



Shepherdstown, W. Va., June 10 1899 No.

Jefferson Savings Bank

Pay to the order of J. B. Line.

Ten Dollars

\$10.00 E. J. Mober

Wm. Mann Co. Philadelphia